

Receiving Report

Date: 14/3/14

Batch No: M/28515

Supplier: FW MEDAL

Dart P/O: 23250

Packing Slip: Yes ☒ No ☒
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☒ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection ☒ N/A ☐
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Production/Admin:

Date

Received/Costing

Initial

14/3/14
[Signature]

Location

Purchase Order Receipt Listing

Friday, March 14, 2014 1:58:41 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO23250 Receipt Dates from 3/14/2014 to 3/14/2014 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name	VU-TWMM001 TW Metals										
PO23250	1		M6061T6T1.00W.12 f 5	✓	3/17/2014	3/14/2014	48.0000	\$6.60	0.0000	0	\$316.80
USD	No		6061 RD TUBE 1.00 f x .125w M128515		48.0000	DESJ02		\$316.80	0.0000	0	
	2		M6061T6T0.625W.1 f 25	✓	3/17/2014	3/14/2014	60.0000	\$5.15	0.0000	0	\$309.00
	No		6061-T6 RD Tube 0.625 X.125W M128515		60.0000	DESJ02		\$309.00	0.0000	0	
Total Received Quantity:											108.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$625.80
Total Balance Due Quantity:											0.0000



PACKING SLIP

ORDER NO.: 60537108

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820 **NET WGT:** 33.241 REQ.DATE: 03/17/14 EARLY
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: MIKE ANDERSON SHIP BY: 03/10/14
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO23250 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	43356 D6061-T6 1 OD X .125 WA		12 FT ML
	QTY: 48.000 FT	WT: 19.388 PC:	4 SHP: 48.000 FT

PART#: M6061T6T1.00W.125

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49291738 HT:1302482 PC: 4 SLB/CL:49208/100
MLT:GERMANY MFG:GERMANY

0002	42588 D6061-T6 5/8 OD X .125 WA		12 FT ML
	QTY: 60.000 FT	WT: 13.853 PC:	5 SHP: 60.000 FT

PART#: M6061T6T0.625W.125

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49285271 HT:28705495 PC: 5 SLB/CL:200475
MLT:UNITED STATES MFG:UNITED STATES

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	CARTON	1.000	38.000		12.6000	
		1.000	38.000			

BY: TW
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60537108

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820 NET WGT: 33.241 REQ.DATE: 03/17/14 EARLY
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7
SALESPERSON: MIKE ANDERSON SHIP BY: 03/10/14
TERMS: NET 30 DAYS 27 ENGLEHARD DRIVE
F.O.B.: SHIPPING POINT MONROE TWP NJ 08831
CUST ORD NO.: PO23250
VIA: COMMON CARRIER
FREIGHT: PREPAID
RELEASE NO.:
RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk Com Member Date: 3/07/14

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.

Abnahmeprüfzeugnis 3.1 - DIN EN 10204:2005



Inspection Certificate 3.1 - DIN EN 10204:2005 / Certificat de Reception 3.1- DIN EN 10204:2005

Kunde: TW Metals (NJ)
Client:

27 Englehard Drive
Monroe Town NJ 08831 USA

Zeugnisnummer: 713/13
Cert No. / No. du certificat:

Bestellnummer: M 49291738 (P.)
Order No. / No. de commande

Produkt: Rohre nahtlos gepresst und gezogen
Product / Produit: Tubes seamless extruded and drawn

Spezifikation: AMS - WW - T - 700/6B; AMS 4082P; ASTM B 210-12; -
Specification:

Werkstoff: 6061
Alloy/Alliage:

Zustand: T 6
Temper/État

Abmessung: 1,000 INCH x 0,750 INCH x 0,125 INCH x 12,000 FEET
Size / Dimension: 43356

Kennzeichnung: ALUnna - Cert No. 713/13 - 6061-T6 - Cast No. 9295-2 - WWT 700/6F - AMS WWT 700/6 B - AMS 4082 P - ASTM B 210-12 - 1.000"
Marking/Marquage: OD X 0.125" Wall - Heat Lot No. 1302482 - ALUnna Order Conf. No. 49208/100-1 - CPB 300

Lieferung: Heat 91 pcs. lbs
Delivered Material / Matériel délivré: 91 443

Country of Manufacture: Germany

1. Chemische Analyse Chemical Analysis / analyse chimique

Other elements
each max. 0.05 %, total 0.15 %

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Zr	Bi	Sn	Ni
Charge/ min.	0,40		0,15		0,8	0,04							
Cast No. max.	0,8	0,7	0,40	0,15	1,2	0,35	0,25	0,15					
9295-2/13	0,709	0,386	0,214	0,117	0,988	0,264	0,028	0,040	0,001	0,0385	0,0081	0,0011	0,0001

Hydrogen content: 0,10


ccm/100 g Al Elements without indication < 0,01 %

country of melt manufacturer: Germany

Products are in accordance with applicable RoHS

FAR BAA: Cannot certify compliance
DFARS BAA: Complies
FAR TAA: Cannot certify compliance

Corrosion protection Brayco 300



Ergebnis der Prüfungen: Es wird bestätigt, daß das Material geprüft wurde und den Vereinbarungen bei der Bestellannahme entspricht

Test results: We confirm that the material has been tested and applies to the agreements made on receipt of the order

Resultats: Nous confirmons que le materiel a été controlée et correspond avec les conventions faites à la réception de la commande

mergardtri
28.05.2013



Zertifiziert nach DIN EN ISO 9001:2008 und DIN EN 9100:2003
gültig bis 2013-11-10
Zertifikat- Register- Nr.: 001959 QM08; 001959 ASH



ALUnna

Abnahmebeauftragter

Aluminiumwerk Unna AG, Uelzener Weg 36, 59425 Unna, Germany

2/2



Abnahmeprüfzeugnis 3.1 - DIN EN 10204:2005

Inspection Certificate 3.1 - DIN EN 10204:2005 / Certificat de Reception 3.1- DIN EN 10204:2005

Kunde: TW Metals (NJ)
Client:

27 Englehard Drive
Monroe Town NJ 08831 USA

Zeugnisnummer: 713/13

Cert No. / No. du certificat:

Bestellnummer: M 49291738 (P.)

Order No. / No. de commande

ALUnna Auftragsbest.-Nr: 49208/100

ALUnna Order Conf.No.:

Kennzeichnung

Marking/Marquage:

ALUnna - Cert No. 713/13 - 6061-T6 - Cast No. 9295-2 - WWT 700/6F - AMS WWT 700/6 B - AMS 4082 P - ASTM B 210-12 - 1.000"
OD X 0.125" Wall - Heat Lot No. 1302482 - ALUnna Order Conf. No. 49208/100-1 - CPB 300

Lieferung

Delivered Material / Matériel délivré:

pcs.

91

lbs

443

Country of Manufacture: Germany

2. Mechanische Eigenschaften

Mechanical Properties / Valeurs Mécaniques

Anforderungen Requirements	tensile (Rm) ksi	yield (Rp0,2) ksi	elongation 2" %	elongation A %	Hardness HB	Heat Lot No.
	42,0	35,0	10,0			
1	46,690	37,990	23,0			1302482

Ergebnis der Prüfungen:

Es wird bestätigt, daß das Material geprüft wurde und den Vereinbarungen bei der Bestellannahme entspricht

Test results:

We confirm that the material has been tested and applies to the agreements made on receipt of the order

Resultats:

Nous confirmons que le materiel a été controlée et correspond avec les conventions faites à la réception de la commande

mergardtri

28.05.2013



Zertifiziert nach DIN EN ISO 9001:2008 und DIN EN 9100:2003

gültig bis 2013-11-10

Zertifikat- Register- Nr.: 001959 QM08; 001959 ASH



ALUnna

Abnahmebeauftragter

Aluminiumwerk Unna AG, Uelzener Weg 36, 59425 Unna, Germany



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.

287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 162188

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49285271 LINE 001	200475	24A062501250001

SOLD: TW METALS
TO 760 CONSTITUTION DR.
SUITE 204
EXTON, PA 19341

SHIP: TW METALS - CRANBURY
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
1308 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .6250 +.0040 -.0040 ID WALL .1250 +.0060 -.0060	1428 FT	01/18/13

MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	45,559	40,664	24		

DESTRUCTIVE TESTS

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

TW METALS
JAN 21 2013
ACCEPTABLE BY

NON-DESTRUCTIVE TESTS

CHEMICAL COMPOSITION

ALLOY: 6061	HEAT:	TRACEABILITY #: 28705495
		RAW MATL VENDOR: PT23938 - Kaiser Aluminum
Min	Si 0.40 Fe 0.15 Cu 0.80 Mn 0.04	Ti Al Rem.
Max	0.80 0.70 0.40 0.15 1.20 0.35 0.25 0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL		

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008

By:

Art Onaitis
QA Manager

01/18/13


KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PT23938-		CUSTOMER PART NUMBER: SPIRIT-353519		PRODUCT DESCRIPTION: 15.300 LB/PC +.500 LB/-0 LB 1.500 OD X .175 WALL ESRT	
KAISER ORDER NUMBER: 314925	LINE ITEM: 001	SHIP DATE: 11/16/2012	KAISER LOT NUMBER: 50022-103	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 2947.000 LB	QUANTITY: 189.000 PCS	B/L NUMBER: 004028	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 17.781 FT
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50022-103	0001	001	16.4	5.1	30.6	NA N/A	N/A	N/A
50022-103	0001	002	16.4	4.7	31.1	NA N/A	N/A	N/A
50022-103	0001	003	16.5	4.7	32.9	NA N/A	N/A	N/A
50022-103	0001	004	16.5	4.8	32.3	NA N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F71039	.64	.32	.21	.05	.96	.07	.05	.02	.00	.00	.00	.01	.02
F71037	.64	.34	.21	.05	.94	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-02 ASTM-B221-08 ASTM-B345-02 AMS-QQ-A-200/8 TYPE 1 UNS#96061 ACTUAL
CHEMISTRY Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Ron Walls,

Ron Walls

Plant Serial: 00007805

Kaiser Order Number: 314925

Line Item: 001

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061760.625X0.125
 RECEIVED BY: DESTOR.
 DATE: 14-03-23
 P/O# 23250
 QUANTITY ORDERED: 60 ft.
 THICKNESS ORDERED: 0.625x0.125"
 SHEET SIZE: 12 ft long.
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 60 ft.
 THICKNESS RECEIVED: 0.625x0.125
 SHEET SIZE RECEIVED: 12 ft.

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
INCORRECT FINISH	Y	<input checked="" type="checkbox"/>	
CORROSION	Y	<input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y	<input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y	<input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	Heat: 28705495
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	M6061760.625X0.125
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	M128515
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>Jm</u>	BY: <u>NA</u>
DATE: <u>14-03-23</u>	DATE: <u>NA</u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6T1.00W.125

PO / BATCH NO.: 128515

DATE: 14-03-23

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 1.00 x 0.125"

QUANTITY RECEIVED: 48 ft.

THICKNESS RECEIVED: 1.00 x 0.125"

QUANTITY INSPECTED: 48 ft.

SHEET SIZE ORDERED:

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	Heat: 1302482
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	M6061T6T1.00W.125
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	M128515
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>JM</u>	SIGNED OFF BY: <u>N/A</u>
DATE: <u>14-03-23</u>	DATE: <u> </u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23250

Purchase Order Date 3/6/2014

PO Print Date 3/6/2014

Page Number 1 of 2

Order From :
TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
C. 2/10/06

Contact Name
Vendor Phone 585 768 5600

Ship To Contact
Ship To Phone
Ship Via: YRC COLLECT
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T1.00W.125	6061 RD TUBE 1.00 x .125w	3/17/2014 Yes 3/17/2014		48.00 f	\$6.60	\$316.80
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$316.80
2	M6061T6T0.625W.125	6061-T6 RD Tube 0.625 X.125W	3/17/2014 Yes 3/17/2014		60.00 f	\$5.15	\$309.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$309.00

Note:

3/6/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23250**

Purchase Order Date 3/6/2014

PO Print Date 3/6/2014

Page Number 2 of 2

Order From :

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 585 768 5600

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA – (Free Carrier)

3	71401-45	PROCUREMENT QUALITY CLAUSES	3/17/2014	0.00	\$0.00	\$0.00
			No 3/17/2014			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$625.80

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 3/6/2014